

SUKEN

Precision tool



锁牙夹



Indexable Modular Cutter

随心切换 无锁不能

速肯销售服务中心



扫一扫 更多惊喜

全国免费服务热线: 400 803 8128

更多产品信息, 敬请浏览本公司网站

网址: www.dg-suken.com 邮箱: suken_vip@126.com; suken@dg-suken.com



速肯
186 803 27235

PRECISION

from meticulousity


精密 源自一絲不苟

锁牙头
Indexable Modular Cutter
随心切换 无锁不能




INDEXABLE SCREW TYPE MODULAR CUTTER

AJX 大進給鎖牙式立銑刀頭




| AJX | Specification | Teeth | 外形尺寸(mm)Size | | | | | 刀片型號 Insert | 螺絲 Screw | 扳手 Wrench |
|-----|---------------|-------|--------------|----|----|------|-----|-----------------------|-------------|--------------|
| | | | D | L | L1 | B | M | | | |
| | 16-M8-2T | 2 | 16 | 46 | 28 | 8.5 | M8 | JDMT06T215 ZZSR-JM | M2.5 | T8 |
| | 17-M8-2T | 2 | 17 | 46 | 28 | 8.5 | M8 | | | |
| | 20-M10-2T | 2 | 20 | 49 | 30 | 10.5 | M10 | JDMT080320 ZZSR | M3 | T8 |
| | 21-M10-2T | 2 | 21 | 49 | 30 | 10.5 | M10 | | | |
| | 25-M12-2T | 2 | 25 | 57 | 35 | 12.5 | M12 | JDMT080320 ZZSR | M3.5 | T15 |
| | 26-M12-2T | 2 | 26 | 57 | 35 | 12.5 | M12 | | | |
| | 32-M16-2T | 2 | 32 | 63 | 40 | 17.0 | M16 | JDMW120420 ZDSR | M4 | T15 |
| | 33-M16-2T | 2 | 33 | 63 | 40 | 17.0 | M16 | | | |
| | 35-M16-2T | 2 | 35 | 63 | 40 | 17.0 | M16 | | | |
| | 40-M16-3T | 3 | 40 | 63 | 40 | 17.0 | M16 | | | |

適用刀片 SUITABLE INSERT: 三菱 MITSUBISHI, 速肯 SUKEN




INDEXABLE SCREW TYPE MODULAR CUTTER

SKS 大進給鎖牙式立銑刀頭




| SKS | 型號 Specification | 刃數 Teeth | 外形尺寸(mm)Size | | | | | 刀片型號 Insert | 螺絲 Screw | 扳手 Wrench |
|-----|---------------------|-------------|--------------|----|----|------|-----|--------------------------------|-------------|--------------|
| | | | D | L | L1 | B | M | | | |
| | 16-M8-2T | 2 | 16 | 46 | 28 | 8.5 | M8 | WOMW04T215ZTR | M2.5x6.3 | T8 |
| | 17-M8-2T | 2 | 17 | 46 | 28 | 8.5 | M8 | | | |
| | 20-M10-2T | 2 | 20 | 49 | 30 | 10.5 | M10 | WDMW050316ZTR WDHW050316ZTR | M3X7 | T8 |
| | 21-M10-2T | 2 | 21 | 49 | 30 | 10.5 | M10 | | | |
| | 25-M12-2T | 2 | 25 | 57 | 35 | 12.5 | M12 | WDMW06T320ZTR WDHW06T320ZTR | M4X10 | T15 |
| | 26-M12-2T | 2 | 26 | 57 | 35 | 12.5 | M12 | | | |
| | 32-M16-2T | 2 | 32 | 63 | 40 | 17.0 | M16 | WDMT080520ZER | M4.5X11 | T20 |
| | 33-M16-2T | 2 | 33 | 63 | 40 | 17.0 | M16 | | | |
| | 35-M16-2T | 2 | 35 | 63 | 40 | 17.0 | M16 | | | |
| | 40-M16-3T | 3 | 40 | 63 | 40 | 17.0 | M16 | | | |

適用刀片 SUITABLE INSERT: 黛杰 DIJET, 速肯 SUKEN






INDEXABLE SCREW TYPE MODULAR CUTTER

300R 鎖牙式立銑刀頭



| 300R | 型號 Specification | 刃數 Teeth | 外形尺寸(mm)Size | | | | | 刀片型號 Insert | 螺絲 Screw | 扳手 Wrench |
|------|---------------------|-------------|--------------|----|----|------|-----|------------------|-------------|--------------|
| | | | D | L | L1 | B | M | | | |
| | 16-M8-2T | 2 | 16 | 46 | 28 | 8.5 | M8 | APMT1135 PDER | M2.5 | T8 |
| | 17-M8-2T | 2 | 17 | 46 | 28 | 8.5 | M8 | | | |
| | 20-M10-2T | 2 | 20 | 49 | 30 | 10.5 | M10 | | | |
| | 21-M10-2T | 2 | 21 | 49 | 30 | 10.5 | M10 | | | |
| | 25-M12-3T | 3 | 25 | 57 | 35 | 12.5 | M12 | | | |
| | 26-M12-3T | 3 | 26 | 57 | 35 | 12.5 | M12 | | | |

適用刀片 SUITABLE INSERT: 三菱 MITSUBISHI, 速肯 SUKEN





INDEXABLE SCREW TYPE MODULAR CUTTER

400R 鎖牙式立銑刀頭

| 400R | 型號 Specification | 刃數 Teeth | 外形尺寸(mm)Size | | | | | 刀片型號 Insert | 螺絲 Screw | 扳手 Wrench |
|------|---------------------|-------------|--------------|----|----|------|-----|------------------|-------------|--------------|
| | | | D | L | L1 | B | M | | | |
| | 25-M12-2T | 2 | 25 | 57 | 35 | 12.5 | M12 | APMT1604 PDER | M4x9 | T15 |
| | 26-M12-2T | 2 | 26 | 57 | 35 | 12.5 | M12 | | | |
| | 30-M12-2T | 2 | 30 | 57 | 35 | 12.5 | M12 | | | |
| | 32-M16-3T | 3 | 32 | 63 | 40 | 17 | M16 | APMT1604 PDER | M4x10 | T15 |
| | 35-M16-3T | 3 | 35 | 63 | 40 | 17 | M16 | | | |
| | 40-M16-3T | 3 | 40 | 63 | 40 | 17 | M16 | | | |


適用刀片 SUITABLE INSERT: 日立 HITACHI, 速肯 SUKEN






INDEXABLE SCREW TYPE MODULAR CUTTER

AHU 鎖牙式立銑刀頭




| | 型號 | 刃數 Teeth | 外形尺寸(mm)Size | | | | | 刀片型號 Insert | 螺絲 Screw | 扳手 Wrench |
|-----|---------------|-------------|--------------|----|----|------|-----|----------------|-------------|--------------|
| | Specification | | D | L | L1 | B | M | | | |
| AHU | 16-M8-2T | 2 | 16 | 46 | 28 | 8.5 | M8 | JDMT1003OOR | M2.5X6 | T8 |
| | 17-M8-2T | 2 | 17 | 46 | 28 | 8.5 | M8 | | | |
| | 20-M10-2T | 2 | 20 | 49 | 30 | 10.5 | M10 | JDMT1003OOR | M2.5X6 | T8 |
| | 21-M10-2T | 2 | 21 | 49 | 30 | 10.5 | M10 | | | |
| | 25-M12-3T | 3 | 25 | 57 | 35 | 12.5 | M12 | JDMT1003OOR | M2.5X6 | T8 |
| | 26-M12-3T | 3 | 26 | 57 | 35 | 12.5 | M12 | | | |
| | 32-M16-3T | 3 | 32 | 63 | 40 | 17.0 | M16 | JDMT1505OOR | M4X9 | T15 |
| | 35-M16-3T | 3 | 35 | 63 | 40 | 17.0 | M16 | | | |
| | 40-M16-3T | 3 | 40 | 63 | 40 | 17.0 | M16 | | | |

適用刀片 SUITABLE INSERT: 三菱 MITSUBISHI, 日立 HITACHI, 速肯 SUKEN





INDEXABLE SCREW TYPE MODULAR CUTTER

ASR 快進給鎖牙式立銑刀頭



| | 型號 | 刃數 Teeth | 外形尺寸(mm)Size | | | | | 刀片型號 Insert | 螺絲 Screw | 扳手 Wrench |
|-----|---------------|-------------|--------------|----|----|------|-----|----------------|-------------|--------------|
| | Specification | | D | L | L1 | B | M | | | |
| ASR | 16-M8-2T | 2 | 16 | 46 | 28 | 8.5 | M8 | EPNW0603TN-8 | M2.5 | T8 |
| | 17-M8-2T | 2 | 17 | 46 | 28 | 8.5 | M8 | | | |
| | 20-M10-2T | 2 | 20 | 49 | 30 | 10.5 | M10 | EPMT0603TN-8 | M2.5 | T8 |
| | 21-M10-2T | 2 | 21 | 49 | 30 | 10.5 | M10 | | | |
| | 25-M12-3T | 3 | 25 | 57 | 35 | 12.5 | M12 | EPMT0603EN-8LF | M2.5 | T8 |
| | 26-M12-3T | 3 | 26 | 57 | 35 | 12.5 | M12 | | | |
| | 32-M16-3T | 3 | 32 | 63 | 40 | 17.0 | M16 | EPNW0603TN-8 | M2.5 | T8 |
| | 35-M16-4T | 4 | 35 | 63 | 40 | 17.0 | M16 | | | |
| | 40-M16-4T | 4 | 40 | 63 | 40 | 17.0 | M16 | EPMT0603EN-8LF | | |

適用刀片 SUITABLE INSERT: 日立 HITACHI, 速肯 SUKEN





INDEXABLE SCREW TYPE MODULAR CUTTER

ASM 鎖牙式立銑刀頭

| | 型號 | 刃數 Teeth | 外形尺寸(mm)Size | | | | | 刀片型號 Insert | 螺絲 Screw | 扳手 Wrench |
|-----|---------------|-------------|--------------|------|----|-----|----|----------------------------|-------------|--------------|
| | Specification | | D | L | L1 | B | M | | | |
| ASM | 8-M4-1T | 1 | 8 | 34.5 | 20 | 4.5 | M4 | JDMT070208R EDMT070220R | M1.8 | T6 |
| | 9-M4-1T | 1 | 9 | 34.5 | 20 | 4.5 | M4 | | | |
| | 10-M5-2T | 2 | 10 | 34.5 | 20 | 5.5 | M5 | | | |
| | 10-M6-2T | 2 | 10 | 34.5 | 20 | 6.5 | M6 | | | |
| | 11-M5-2T | 2 | 11 | 34.5 | 20 | 5.5 | M5 | | | |
| | 11-M6-2T | 2 | 11 | 34.5 | 20 | 6.5 | M6 | | | |
| | 12-M6-2T | 2 | 12 | 34.5 | 20 | 6.5 | M6 | | | |
| | 13-M6-2T | 2 | 13 | 34.5 | 20 | 6.5 | M6 | | | |
| | 16-M8-4T | 4 | 16 | 46 | 28 | 8.5 | M8 | | | |
| | 17-M8-4T | 4 | 17 | 46 | 28 | 8.5 | M8 | | | |

適用刀片 SUITABLE INSERT: 日立 HITACHI, 速肯 SUKEN




INDEXABLE SCREW TYPE MODULAR CUTTER

MPM 鎖牙式立銑刀頭

| | 型號 | 刃數 Teeth | 外形尺寸(mm)Size | | | | | 刀片型號 Insert | 螺絲 Screw | 扳手 Wrench |
|-----|---------------|-------------|--------------|------|----|-----|----|---|-------------|--------------|
| | Specification | | D | L | L1 | B | M | | | |
| MPM | 8-M4-1T | 1 | 8 | 34.5 | 20 | 4.5 | M4 | EOMT0602**ZER EOMW0602**ZER ZOMT0602**ZER YOHW0602**ZER-12 | M1.8 | T6 |
| | 10-M6-2T | 2 | 10 | 34.5 | 20 | 6.5 | M6 | | | |
| | 11-M6-2T | 2 | 11 | 34.5 | 20 | 6.5 | M6 | | | |
| | 12-M6-2T | 2 | 12 | 34.5 | 20 | 6.5 | M6 | | | |
| | 13-M6-2T | 2 | 13 | 34.5 | 20 | 6.5 | M6 | | | |
| | 13-M6-3T | 3 | 13 | 34.5 | 20 | 6.5 | M6 | | | |

適用刀片 SUITABLE INSERT: 黛杰 DIJET, 速肯 SUKEN






INDEXABLE SCREW TYPE MODULAR CUTTER

T217.69 鎖牙式立銑刀頭



| 型號 Specification | 刃數 Teeth | 外形尺寸(mm)Size | | | | | | 刀片型號 Insert | 螺絲 Screw | 扳手 Wrench |
|---------------------|-------------|--------------|------|----|-----|----|----------|----------------|-------------|--------------|
| | | D | L | L1 | B | M | | | | |
| T217.69 | 2 | 10 | 34.5 | 20 | 5.5 | M5 | XOMX0602 | M1.8 | T6 | |
| | 2 | 11 | 34.5 | 20 | 5.5 | M5 | | | | |
| | 2 | 12 | 34.5 | 20 | 6.5 | M6 | | | | |
| | 2 | 13 | 34.5 | 20 | 6.5 | M6 | | | | |

適用刀片 SUITABLE INSERT: 山高 SECO, 速肯 SUKEN





MINI HIGH FEED MODULAR CUTTER

MFH mini型快進給鎖牙刀頭



| 型號 Specification | 刃數 Teeth | 外形尺寸(mm)Size | | | | | | 刀片型號 Insert | 螺絲 Screw | 扳手 Wrench |
|---------------------|-------------|--------------|------|----|-----|----|---------------|----------------|-------------|--------------|
| | | D | L | L1 | B | M | | | | |
| MFH | 1 | 8 | 34.5 | 20 | 4.5 | M4 | LPGT 010210ER | M1.8 | T6 | |
| | 1 | 9 | 34.5 | 20 | 4.5 | M4 | | | | |
| | 2 | 10 | 34.5 | 20 | 5.5 | M5 | | | | |
| | 2 | 10 | 34.5 | 20 | 6.5 | M6 | | | | |
| | 2 | 11 | 34.5 | 20 | 5.5 | M5 | | | | |
| | 2 | 11 | 34.5 | 20 | 6.5 | M6 | | | | |
| | 3 | 12 | 34.5 | 20 | 6.5 | M6 | | | | |
| | 3 | 13 | 34.5 | 20 | 6.5 | M6 | | | | |
| | 4 | 16 | 46 | 28 | 8.5 | M8 | | | | |
| | 4 | 17 | 46 | 28 | 8.5 | M8 | | | | |

適用刀片 SUITABLE INSERT: 京瓷 KYOCERA, 速肯 SUKEN




INDEXABLE SCREW TYPE MODULAR CUTTER

EMRT4R 系列-鎖牙式立銑刀頭

| 型號 Specification | 刃數 Teeth | 外形尺寸(mm)Size | | | | | | 刀片型號 Insert | 螺絲 Screw | 扳手 Wrench |
|---------------------|-------------|--------------|----|----|------|-----|-------------|----------------|-------------|--------------|
| | | D | L | L1 | B | M | | | | |
| 16-M8-2T | 2 | 16 | 46 | 28 | 8.5 | M8 | RPMT08T2MOE | M3.0 | T8 | |
| 17-M8-2T | 2 | 17 | 46 | 28 | 8.5 | M8 | | | | |
| 20-M10-2T | 2 | 20 | 49 | 30 | 10.5 | M10 | | | | |
| 21-M10-2T | 2 | 21 | 49 | 30 | 10.5 | M10 | | | | |
| 25-M12-3T | 3 | 25 | 57 | 35 | 12.5 | M12 | | | | |
| 26-M12-3T | 3 | 26 | 57 | 35 | 12.5 | M12 | | | | |

適用刀片 SUITABLE INSERT: 三菱, RAMBO, MITSUBISHI




INDEXABLE SCREW TYPE MODULAR CUTTER

EMR5R 系列-鎖牙式立銑刀頭

| 型號 Specification | 刃數 Teeth | 外形尺寸(mm)Size | | | | | | 刀片型號 Insert | 螺絲 Screw | 扳手 Wrench |
|---------------------|-------------|--------------|----|----|------|-----|-------------|----------------|-------------|--------------|
| | | D | L | L1 | B | M | | | | |
| 20-M10-2T | 2 | 20 | 49 | 30 | 10.5 | M10 | RPMW1003MOE | M4.0 | T15 | |
| 21-M10-2T | 2 | 21 | 49 | 30 | 10.5 | M10 | | | | |
| 25-M12-2T | 2 | 25 | 57 | 35 | 12.5 | M12 | | | | |
| 26-M12-2T | 2 | 26 | 57 | 35 | 12.5 | M12 | | | | |
| 30-M12-2T | 2 | 30 | 57 | 35 | 12.5 | M12 | | | | |
| 32-M16-3T | 3 | 32 | 57 | 35 | 12.5 | M16 | | | | |
| 35-M16-3T | 3 | 35 | 63 | 40 | 17.0 | M16 | | | | |
| 40-M16-3T | 3 | 40 | 63 | 40 | 17.0 | M16 | | | | |

適用刀片 SUITABLE INSERT: 三菱, RAMBO, MITSUBISHI




INDEXABLE SCREW TYPE MODULAR CUTTER

EMR6R 系列-鎖牙式立銑刀頭


| 型號 Specification | 刃數 Teeth | 外形尺寸(mm)Size | | | | | | 刀片型號 Insert | 螺絲 Screw | 扳手 Wrench |
|---------------------|-------------|--------------|----|----|------|-----|-------------|----------------|-------------|--------------|
| | | D | L | L1 | B | M | | | | |
| 30-M16-2T | 2 | 30 | 57 | 35 | 12.5 | M12 | RPMT1204MOE | M4.0 | T15 | |
| 32-M16-2T | 2 | 32 | 57 | 35 | 12.5 | M16 | | | | |
| 35-M16-3T | 3 | 35 | 63 | 40 | 17.0 | M16 | | | | |
| 40-M16-4T | 3/4 | 40 | 63 | 40 | 17.0 | M16 | | | | |

適用刀片 SUITABLE INSERT: 三菱, RAMBO, MITSUBISHI



INDEXABLE SCREW TYPE MODULAR CUTTER

TRS4R系列-鎖牙式立銑刀頭




| 型號 Specification | 刃數 Teeth | 外形尺寸(mm)Size | | | | | 刀片型號 Insert | 螺絲 Screw | 扳手 Wrench |
|---------------------|-------------|--------------|----|----|------|-----|----------------|-------------|--------------|
| | | D | L | L1 | B | M | | | |
| 16-M8-2T | 2 | 16 | 46 | 28 | 8.5 | M8 | RDMT0802MOTN | M3.0 | T8 |
| 17-M8-2T | 2 | 17 | 46 | 28 | 8.5 | M8 | | | |
| 20-M10-2T | 2 | 20 | 49 | 30 | 10.5 | M10 | | | |
| 21-M10-2T | 2 | 21 | 49 | 30 | 10.5 | M10 | | | |
| 25-M12-3T | 3 | 25 | 57 | 35 | 12.5 | M12 | | | |
| 26-M12-3T | 3 | 26 | 57 | 35 | 12.5 | M12 | | | |

適用刀片 SUITABLE INSERT: 日立, RAMBO, HITACHI



INDEXABLE SCREW TYPE MODULAR CUTTER

TRS5R系列-鎖牙式立銑刀頭




| 型號 Specification | 刃數 Teeth | 外形尺寸(mm)Size | | | | | 刀片型號 Insert | 螺絲 Screw | 扳手 Wrench |
|---------------------|-------------|--------------|----|----|------|-----|----------------|-------------|--------------|
| | | D | L | L1 | B | M | | | |
| 20-M10-2T | 2 | 20 | 49 | 30 | 10.5 | M10 | RDMT10T3MOTN | M4.0 | T15 |
| 21-M10-2T | 2 | 21 | 49 | 30 | 10.5 | M10 | | | |
| 25-M12-2T | 2 | 25 | 57 | 35 | 12.5 | M12 | | | |
| 26-M12-2T | 2 | 26 | 57 | 35 | 12.5 | M12 | | | |
| 30-M12-2T | 3 | 30 | 57 | 35 | 12.5 | M12 | | | |
| 32-M16-3T | 3 | 32 | 57 | 35 | 12.5 | M16 | | | |
| 35-M16-3T | 3 | 35 | 63 | 40 | 17.0 | M16 | | | |
| 40-M16-3T | 3 | 40 | 63 | 40 | 17.0 | M16 | | | |

適用刀片 SUITABLE INSERT: 日立, RAMBO, HITACHI




INDEXABLE SCREW TYPE MODULAR CUTTER

TRS6R系列-鎖牙式立銑刀頭




| 型號 Specification | 刃數 Teeth | 外形尺寸(mm)Size | | | | | 刀片型號 Insert | 螺絲 Screw | 扳手 Wrench |
|---------------------|-------------|--------------|----|----|------|-----|----------------|-------------|--------------|
| | | D | L | L1 | B | M | | | |
| 30-M16-2T | 2 | 30 | 57 | 35 | 12.5 | M12 | RDMT1204MOTN | M4.0 | T15 |
| 32-M16-2T | 2 | 32 | 57 | 35 | 12.5 | M16 | | | |
| 35-M16-3T | 3 | 35 | 63 | 40 | 17.0 | M16 | | | |
| 40-M16-4T | 3/4 | 40 | 63 | 40 | 17.0 | M16 | | | |

適用刀片 SUITABLE INSERT: 日立, RAMBO, HITACHI





INDEXABLE SCREW TYPE MODULAR CUTTER

JRC 鎖牙式立銑刀頭



| 型號 Specification | 刃數 Teeth | 外形尺寸(mm)Size | | | | | 刀片型號 Insert | 螺絲 Screw | 扳手 Wrench |
|---------------------|-------------|--------------|----|----|------|-----|----------------|-------------|--------------|
| | | D | L | L1 | B | M | | | |
| 5R25-M12-2T | 2 | 25 | 57 | 35 | 12.5 | M12 | RC*T10T3 | M3.5x7 | T15 |
| 5R26-M12-2T | 2 | 26 | 57 | 35 | 12.5 | M12 | | | |
| 5R30-M12-2T | 2 | 30 | 57 | 35 | 12.5 | M12 | | | |
| 5R32-M16-3T | 3 | 32 | 57 | 35 | 17 | M16 | | | |
| 6R30-M16-2T | 2 | 30 | 57 | 35 | 17 | M16 | | | |
| 6R32-M16-3T | 3 | 32 | 57 | 35 | 17 | M16 | RC*T1204 | M4x9 | T15 |
| 6R35-M16-3T | 3 | 35 | 57 | 35 | 17 | M16 | | | |
| 6R40-M16-3T | 3 | 40 | 57 | 35 | 17 | M16 | | | |

適用刀片 SUITABLE INSERT: 速肯 SUKEN, 山特維克 SANDVIK




INDEXABLE SCREW TYPE MODULAR CUTTER

SKR 鎖牙式高速立銑刀頭(旋風銑)

| 型號 Specification | 刃數 Teeth | 外形尺寸(mm)Size | | | | | 刀片型號 Insert | 螺絲 Screw | 扳手 Wrench |
|---------------------|-------------|--------------|----|----|------|-----|---------------------|-------------|--------------|
| | | D | L | L1 | B | M | | | |
| 20-M10-2T | 2 | 20 | 57 | 35 | 12.5 | M10 | RPAT1035EDR SK30 | M4.0 | TL10 |
| 25-M12-3T | 3 | 25 | 57 | 35 | 12.5 | M12 | | | |
| 30-M12-3T | 3 | 30 | 57 | 35 | 12.5 | M12 | | | |
| 32-M16-3T | 3 | 32 | 63 | 40 | 17 | M16 | | | |
| 32-M16-4T | 4 | 32 | 63 | 40 | 17 | M16 | | | |
| 35-M16-3T | 3 | 35 | 63 | 40 | 17 | M16 | | | |
| 35-M16-4T | 4 | 35 | 63 | 40 | 17 | M16 | | | |
| 40-M16-4T | 4 | 40 | 63 | 40 | 17 | M16 | | | |
| 40-M16-5T | 5 | 40 | 63 | 40 | 17 | M16 | | | |


適用刀片 SUITABLE INSERT: 速肯 SUKEN






INDEXABLE SCREW TYPE MODULAR CUTTER

R390 鎖牙式立銑刀頭




| 型號 Specification | 刃數 Teeth | 外形尺寸(mm)Size | | | | | | 刀片型號 Insert | 螺絲 Screw | 扳手 Wrench |
|---------------------|-------------|--------------|----|----|------|-----|-------------|----------------|-------------|--------------|
| | | D | L | L1 | B | M | | | | |
| R390 16-M8-2T | 2 | 16 | 46 | 28 | 8.5 | M8 | R390-11T308 | M2.5 | T8 | |
| 17-M8-2T | 2 | 17 | 46 | 28 | 8.5 | M8 | | | | |
| 20-M10-2T | 2 | 20 | 49 | 30 | 10.5 | M10 | | | | |
| 21-M10-2T | 2 | 21 | 49 | 30 | 10.5 | M10 | | | | |
| 25-M12-2T | 2 | 25 | 57 | 35 | 12.5 | M12 | R390-170408 | M3.5 | T15 | |
| 26-M12-2T | 2 | 26 | 57 | 35 | 12.5 | M12 | | | | |
| 32-M16-3T | 3 | 32 | 63 | 40 | 17.0 | M16 | | | | |
| 35-M16-3T | 3 | 35 | 63 | 40 | 17.0 | M16 | | | | |

適用刀片 SUITABLE INSERT: 速肯 SUKEN, 山特維克 SANDVIK





MQX MODULAR CUTTER

MQX 快進給鎖牙式刀頭



| 型號 Specification | 刃數 Teeth | 外形尺寸(mm)Size | | | | | | 刀片型號 Insert | 螺絲 Screw | 扳手 Wrench |
|---------------------|-------------|--------------|----|----|------|-----|--|----------------|-------------|--------------|
| | | D | L | L1 | B | M | | | | |
| MQX 16-M8-2T | 2 | 16 | 46 | 28 | 8.5 | M8 | EPHW100316ZTR EPM*100312Z*R ZPMT1003**ZER YPHW1003**ZER | M2.5 | T8 | |
| 17-M8-2T | 2 | 17 | 46 | 28 | 8.5 | M8 | | | | |
| 20-M10-3T | 3 | 20 | 49 | 30 | 10.5 | M10 | | | | |
| 21-M10-3T | 3 | 21 | 49 | 30 | 10.5 | M10 | | | | |
| 25-M12-4T | 4 | 25 | 57 | 35 | 12.5 | M12 | | | | |
| 26-M12-4T | 4 | 26 | 57 | 35 | 12.5 | M12 | | | | |
| 32-M16-5T | 5 | 32 | 63 | 40 | 17.0 | M16 | | | | |
| 35-M16-5T | 5 | 35 | 63 | 40 | 17.0 | M16 | | | | |

適用刀片 SUITABLE INSERT: 黛杰 DIJET, 速肯 SUKEN





INDEXABLE SCREW TYPE MODULAR CUTTER

ASPV 鎖牙式立銑刀頭

| 型號 Specification | 刃數 Teeth | 外形尺寸(mm)Size | | | | | | 刀片型號 Insert | 螺絲 Screw | 扳手 Wrench |
|---------------------|-------------|--------------|----|----|------|-----|----------------|----------------|-------------|--------------|
| | | D | L | L1 | B | M | | | | |
| ASPV 16-M8-2T | 2 | 16 | 46 | 28 | 8.5 | M8 | MPHW 0603TN | M2.5 | T8 | |
| 17-M8-2T | 2 | 17 | 46 | 28 | 8.5 | M8 | | | | |
| 20-M10-2T | 2 | 20 | 49 | 30 | 10.5 | M10 | | | | |
| 21-M10-2T | 2 | 21 | 49 | 30 | 10.5 | M10 | MPHW 0603TN | M2.5 | T8 | |
| 25-M12-3T | 3 | 25 | 57 | 35 | 12.5 | M12 | | | | |
| 26-M12-3T | 3 | 26 | 57 | 35 | 12.5 | M12 | | | | |
| 32-M16-3T | 3 | 32 | 63 | 40 | 17.0 | M16 | | | | |
| 35-M16-4T | 4 | 35 | 63 | 40 | 17.0 | M16 | MPHW 0603TN | M2.5 | T8 | |
| 40-M16-4T | 4 | 40 | 63 | 40 | 17.0 | M16 | | | | |

適用刀片 SUITABLE INSERT: 日立 HITACHI, 速肯 SUKEN





FINISH MODULAR CUTTER

APX3000R 鎖牙式立銑刀頭


| 型號 Specification | 刃數 Teeth | 外形尺寸(mm)Size | | | | | | 刀片型號 Insert | 螺絲 Screw | 扳手 Wrench |
|---------------------|-------------|--------------|----|----|------|-----|--------------------|----------------|-------------|--------------|
| | | D | L | L1 | B | M | | | | |
| APX 3000R 16-M8-2T | 2 | 16 | 46 | 28 | 8.5 | M8 | AOMT123608 PEER | M2.5x6 | T8 | |
| 17-M8-2T | 2 | 17 | 46 | 28 | 8.5 | M8 | | | | |
| 20-M10-2T | 2 | 20 | 49 | 30 | 10.5 | M10 | | | | |
| 21-M10-2T | 2 | 21 | 49 | 30 | 10.5 | M10 | | | | |
| 25-M12-3T | 3 | 25 | 57 | 35 | 12.5 | M12 | | | | |
| 26-M12-3T | 3 | 26 | 57 | 35 | 12.5 | M12 | | | | |

適用刀片 SUITABLE INSERT: 三菱 MITSUBISHI, 速肯 SUKEN







MSG MODULAR CUTTER
MSG 快進給鎖牙式刀頭




| MSG | 型號 | 刃數 | 外形尺寸(mm)Size | | | | | 刀片型號 | 螺絲 | 扳手 |
|-----|---------------|----|--------------|----|----|------|-----|-------------------|---------|-----|
| | Specification | | Teeth | D | L | L1 | B | | | |
| | 25-M12-2T | 2 | 25 | 57 | 35 | 12.5 | M12 | SPNW 100415ZTR | M3.5x10 | T15 |
| | 32-M16-3T | 3 | 32 | 63 | 40 | 17 | M16 | | | |
| | 35-M16-3T | 3 | 35 | 63 | 40 | 17 | M16 | | | |
| | 40-M16-4T | 4 | 40 | 63 | 40 | 17 | M16 | | | |

適用刀片 SUITABLE INSERT: 黛杰 DIJET, 速肯 SUKEN






INDEXABLE SCREW TYPE MODULAR CUTTER
T2139 鎖牙式立銑刀頭



| T2139 | 型號 | 刃數 | 外形尺寸(mm)Size | | | | | 刀片型號 | 螺絲 | 扳手 |
|-------|---------------|----|--------------|------|----|------|-----|-----------|-----|-----|
| | Specification | | Teeth | D | L | L1 | B | | | |
| | R5-M5-1T | 1 | 10 | 34.5 | 20 | 5.5 | M5 | P3202-D10 | D10 | T15 |
| | R6-M6-1T | 1 | 12 | 34.5 | 20 | 6.5 | M6 | P3202-D12 | D12 | T20 |
| | R8-M8-1T | 1 | 16 | 46 | 28 | 8.5 | M8 | P3202-D16 | D16 | T20 |
| | R10-M10-1T | 1 | 20 | 46 | 30 | 10.5 | M10 | P3202-D20 | D20 | T20 |
| | R12.5-M12-1T | 1 | 25 | 57 | 35 | 12.5 | M12 | P3202-D25 | D25 | T20 |
| | R15-M16-1T | 1 | 30 | 63 | 40 | 17 | M16 | P3202-D30 | D30 | T30 |

適用刀片 SUITABLE INSERT: 速肯 SUKEN, 瓦爾特 WALTER, 日立 HITACHI, 黛杰 DIJET






INDEXABLE SCREW TYPE MODULAR CUTTER

BNM 鎖牙式立銑刀頭

| BNM | 型號 | 刃數 | 外形尺寸(mm)Size | | | | | 刀片型號 | 螺絲 | 扳手 |
|-----|---------------|----|--------------|------|----|------|-----|---------|-----|-----|
| | Specification | | Teeth | D | L | L1 | B | | | |
| | R5-M5-1T | 1 | 10 | 34.5 | 20 | 5.5 | M5 | BNM-100 | D10 | T15 |
| | R6-M6-1T | 1 | 12 | 34.5 | 20 | 6.5 | M6 | BNM-120 | D12 | T20 |
| | R8-M8-1T | 1 | 16 | 46 | 28 | 8.5 | M8 | BNM-160 | D16 | T20 |
| | R10-M10-1T | 1 | 20 | 46 | 30 | 10.5 | M10 | BNM-200 | D20 | T20 |
| | R12.5-M12-1T | 1 | 25 | 57 | 35 | 12.5 | M12 | BNM-250 | D25 | T20 |
| | R15-M16-1T | 1 | 30 | 63 | 40 | 17 | M16 | BNM-300 | D30 | T30 |

適用刀片 SUITABLE INSERT: 黛杰 DIJET, 速肯 SUKEN





INDEXABLE SCREW TYPE MODULAR CUTTER

ABPF 鎖牙式立銑刀頭

| ABPF | 型號 | 刃數 | 外形尺寸(mm)Size | | | | | 刀片型號 | 螺絲 | 扳手 |
|------|---------------|----|--------------|------|----|------|-----|------------------------|-----|-----|
| | Specification | | Teeth | D | L | L1 | B | | | |
| | R5-M5-1T | 1 | 10 | 34.5 | 20 | 5.5 | M5 | ZPFG100-G ZDFG100-W | D10 | T15 |
| | R6-M6-1T | 1 | 12 | 34.5 | 20 | 6.5 | M6 | ZPFG120-G ZDFG120-W | D12 | T20 |
| | R8-M8-1T | 1 | 16 | 46 | 28 | 8.5 | M8 | ZPFG160-G ZDFG160-W | D16 | T20 |
| | R10-M10-1T | 1 | 20 | 46 | 30 | 10.5 | M10 | ZPFG200-G ZDFG200-W | D20 | T20 |
| | R12.5-M12-1T | 1 | 25 | 57 | 35 | 12.5 | M12 | ZPFG250-G ZDFG250-W | D25 | T20 |
| | R15-M16-1T | 1 | 30 | 63 | 40 | 17 | M16 | ZPFG300-G ZDFG300-W | D30 | T30 |


適用刀片 SUITABLE INSERT: 日立 HITACHI, 速肯 SUKEN






DOUBLE-SIDED HIGH FEED MODULAR CUTTER

EXN03R 雙面刃快進給鎖牙刀頭




| | 型號 | 刃數 Teeth | 外形尺寸(mm)Size | | | | | 刀片型號 Insert | 螺絲 Screw | 扳手 Wrench |
|---------------|---------------|-------------|--------------|----|----|------|-----|----------------|-------------|--------------|
| | Specification | | D | L | L1 | B | M | | | |
| EXN03R | 16-M8-2T | 2 | 16 | 46 | 28 | 8.5 | M8 | LNMU0303 | M2.5x6 | T8 |
| | 17-M8-2T | 2 | 17 | 46 | 28 | 8.5 | M8 | | | |
| | 20-M10-3T | 3 | 20 | 49 | 30 | 10.5 | M10 | LNMU0303 | M2.5x6 | T8 |
| | 21-M10-3T | 3 | 21 | 49 | 30 | 10.5 | M10 | | | |
| | 25-M12-4T | 4 | 25 | 57 | 35 | 12.5 | M12 | LNMU0303 | M2.5x6 | T8 |
| | 26-M12-4T | 4 | 26 | 57 | 35 | 12.5 | M12 | | | |
| | 32-M16-5T | 5 | 32 | 63 | 40 | 17 | M16 | LNMU0303 | M2.5x6 | T8 |
| | 33-M16-5T | 5 | 33 | 63 | 40 | 17 | M16 | | | |
| | 35-M16-5T | 5 | 35 | 63 | 40 | 17 | M16 | | | |

適用刀片 SUITABLE INSERT: 東芝 TUNGALOY, 速肯 SUKEN





DOUBLE-SIDED HIGH FEED MODULAR CUTTER

MFH 雙面刃快進給鎖牙刀頭



| | 型號 | 刃數 Teeth | 外形尺寸(mm)Size | | | | | 刀片型號 Insert | 螺絲 Screw | 扳手 Wrench |
|------------|---------------|-------------|--------------|----|----|------|-----|----------------------|-------------|--------------|
| | Specification | | D | L | L1 | B | M | | | |
| MFH | 16-M8-2T | 2 | 16 | 46 | 28 | 8.5 | M8 | LOGU030310 ER-GMZ | M3X7 | T8 |
| | 17-M8-2T | 2 | 17 | 46 | 28 | 8.5 | M8 | | | |
| | 20-M10-3T | 3 | 20 | 49 | 30 | 10.5 | M10 | LOGU030310 ER-GMZ | M3X7 | T8 |
| | 21-M10-3T | 3 | 21 | 49 | 30 | 10.5 | M10 | | | |
| | 25-M12-4T | 4 | 25 | 57 | 35 | 12.5 | M12 | LOGU030310 ER-GMZ | M3X7 | T8 |
| | 26-M12-4T | 4 | 26 | 57 | 35 | 12.5 | M12 | | | |
| | 32-M16-5T | 5 | 32 | 63 | 40 | 17 | M16 | LOGU030310 ER-GMZ | M3X7 | T8 |
| | 33-M16-5T | 5 | 33 | 63 | 40 | 17 | M16 | | | |
| | 35-M16-5T | 5 | 35 | 63 | 40 | 17 | M16 | | | |

適用刀片 SUITABLE INSERT: 京瓷 KYOCERA, 速肯 SUKEN





DOUBLE-SIDED HIGH FEED MODULAR CUTTER

M4 雙面刃快進給鎖牙刀頭

| | 型號 | 刃數 Teeth | 外形尺寸(mm)Size | | | | | 刀片型號 Insert | 螺絲 Screw | 扳手 Wrench |
|-----------|---------------|-------------|--------------|----|----|------|-----|----------------|-------------|--------------|
| | Specification | | D | L | L1 | B | M | | | |
| M4 | 16-M8-2T | 2 | 16 | 46 | 28 | 8.5 | M8 | LNPU1104 | M3x7 | T8 |
| | 17-M8-2T | 2 | 17 | 46 | 28 | 8.5 | M8 | | | |
| | 20-M10-3T | 3 | 20 | 49 | 30 | 10.5 | M10 | LNPU1104 | M3x7 | T8 |
| | 21-M10-3T | 3 | 21 | 49 | 30 | 10.5 | M10 | | | |
| | 25-M12-4T | 4 | 25 | 57 | 35 | 12.5 | M12 | LNPU1104 | M3x7 | T8 |
| | 26-M12-4T | 4 | 26 | 57 | 35 | 12.5 | M12 | | | |
| | 32-M16-5T | 5 | 32 | 63 | 40 | 17 | M16 | LNPU1104 | M3x7 | T8 |
| | 33-M16-5T | 5 | 33 | 63 | 40 | 17 | M16 | | | |
| | 35-M16-5T | 5 | 35 | 63 | 40 | 17 | M16 | | | |

適用刀片 SUITABLE INSERT: 肯納 KENAMETAL, 速肯 SUKEN




DOUBLE-SIDED HIGH FEED MODULAR CUTTER

MXG 雙面刃快進給鎖牙刀頭


| | 型號 | 刃數 Teeth | 外形尺寸(mm)Size | | | | | 刀片型號 Insert | 螺絲 Screw | 扳手 Wrench |
|------------|---------------|-------------|--------------|----|----|------|-----|----------------------|-------------|--------------|
| | Specification | | D | L | L1 | B | M | | | |
| MXG | 16-M8-2T | 2 | 16 | 46 | 28 | 8.5 | M8 | ENMU100412 ZER-PM | M2.5x6 | T8 |
| | 17-M8-2T | 2 | 17 | 46 | 28 | 8.5 | M8 | | | |
| | 20-M10-3T | 3 | 20 | 49 | 30 | 10.5 | M10 | | | |
| | 21-M10-3T | 3 | 21 | 49 | 30 | 10.5 | M10 | | | |
| | 25-M12-4T | 4 | 25 | 57 | 35 | 12.5 | M12 | | | |
| | 26-M12-4T | 4 | 26 | 57 | 35 | 12.5 | M12 | | | |
| | 32-M16-5T | 5 | 32 | 63 | 40 | 17 | M16 | | | |
| | 33-M16-5T | 5 | 33 | 63 | 40 | 17 | M16 | | | |
| | 35-M16-5T | 5 | 35 | 63 | 40 | 17 | M16 | | | |

適用刀片 SUITABLE INSERT: 黛杰 DIJET, 速肯 SUKEN




DOUBLE-SIDED HIGH FEED MODULAR CUTTER

TEBL 雙面刃快進給鎖牙刀頭




| | 型號 | 刃數 Teeth | 外形尺寸(mm)Size | | | | | 刀片型號 Insert | 螺絲 Screw | 扳手 Wrench |
|-------------|---------------|-------------|--------------|----|----|------|-----|----------------|-------------|--------------|
| | Specification | | D | L | L1 | B | M | | | |
| TEBL | 16-M8-2T | 2 | 16 | 46 | 28 | 8.5 | M8 | BLMP0603R | M2.5x7 | T8 |
| | 17-M8-2T | 2 | 17 | 46 | 28 | 8.5 | M8 | | | |
| | 20-M10-3T | 3 | 20 | 49 | 30 | 10.5 | M10 | BLMP0603R | M2.5x7 | T8 |
| | 21-M10-3T | 3 | 21 | 49 | 30 | 10.5 | M10 | | | |
| | 25-M12-4T | 4 | 25 | 57 | 35 | 12.5 | M12 | BLMP0603R | M2.5x7 | T8 |
| | 26-M12-4T | 4 | 26 | 57 | 35 | 12.5 | M12 | | | |
| | 32-M16-5T | 5 | 32 | 63 | 40 | 17 | M16 | BLMP0603R | M2.5x7 | T8 |
| | 33-M16-5T | 5 | 33 | 63 | 40 | 17 | M16 | | | |
| | 35-M16-5T | 5 | 35 | 63 | 40 | 17 | M16 | | | |

適用刀片 SUITABLE INSERT: 特固克 TAEGUTEC, 速肯 SUKEN




DOUBLE-SIDED HIGH FEED MODULAR CUTTER

TD4N 雙面刃快進給鎖牙刀頭




| | 型號 | 刃數 Teeth | 外形尺寸(mm)Size | | | | | 刀片型號 Insert | 螺絲 Screw | 扳手 Wrench |
|-------------|---------------|-------------|--------------|----|----|------|-----|----------------|-------------|--------------|
| | Specification | | D | L | L1 | B | M | | | |
| TD4N | 16-M8-2T | 2 | 16 | 46 | 28 | 8.5 | M8 | ENMU0603ER | M2.5x7 | T8 |
| | 17-M8-2T | 2 | 17 | 46 | 28 | 8.5 | M8 | | | |
| | 20-M10-3T | 3 | 20 | 49 | 30 | 10.5 | M10 | ENMU0603ER | M2.5x7 | T8 |
| | 21-M10-3T | 3 | 21 | 49 | 30 | 10.5 | M10 | | | |
| | 25-M12-4T | 4 | 25 | 57 | 35 | 12.5 | M12 | ENMU0603ER | M2.5x7 | T8 |
| | 26-M12-4T | 4 | 26 | 57 | 35 | 12.5 | M12 | | | |
| | 32-M16-5T | 5 | 32 | 63 | 40 | 17 | M16 | ENMU0603ER | M2.5x7 | T8 |
| | 33-M16-5T | 5 | 33 | 63 | 40 | 17 | M16 | | | |
| | 35-M16-5T | 5 | 35 | 63 | 40 | 17 | M16 | | | |

適用刀片 SUITABLE INSERT: 日立 HITACHI, 速肯 SUKEN




DOUBLE-SIDED HIGH FEED MODULAR CUTTER

MSX 雙面刃快進給鎖牙刀頭




| | 型號 | 刃數 Teeth | 外形尺寸(mm)Size | | | | | 刀片型號 Insert | 螺絲 Screw | 扳手 Wrench |
|------------|---------------|-------------|--------------|----|----|------|-----|----------------|-------------|--------------|
| | Specification | | D | L | L1 | B | M | | | |
| MSX | 16-M8-2T | 2 | 16 | 46 | 28 | 8.5 | M8 | ZNGU110508ZER | M3x8.5 | T8 |
| | 17-M8-2T | 2 | 17 | 46 | 28 | 8.5 | M8 | | | |
| | 20-M10-3T | 3 | 20 | 49 | 30 | 10.5 | M10 | ZNGU110508ZER | M3x8.5 | T8 |
| | 21-M10-3T | 3 | 21 | 49 | 30 | 10.5 | M10 | | | |
| | 25-M12-4T | 4 | 25 | 57 | 35 | 12.5 | M12 | ZNGU110508ZER | M3x8.5 | T8 |
| | 26-M12-4T | 4 | 26 | 57 | 35 | 12.5 | M12 | | | |
| | 32-M16-5T | 5 | 32 | 63 | 40 | 17 | M16 | ZNGU110508ZER | M3x8.5 | T8 |
| | 33-M16-5T | 5 | 33 | 63 | 40 | 17 | M16 | | | |
| | 35-M16-5T | 5 | 35 | 63 | 40 | 17 | M16 | | | |

適用刀片 SUITABLE INSERT: 黛杰 DIJET, 速肯 SUKEN




DOUBLE-SIDED HIGH FEED MODULAR CUTTER

4NKT 雙面刃快進給鎖牙刀頭



| | 型號 | 刃數 Teeth | 外形尺寸(mm)Size | | | | | 刀片型號 Insert | 螺絲 Screw | 扳手 Wrench |
|-------------|---------------|-------------|--------------|----|----|------|-----|----------------|-------------|--------------|
| | Specification | | D | L | L1 | B | M | | | |
| 4NKT | 16-M8-2T | 2 | 16 | 46 | 28 | 8.5 | M8 | 4NKT0603 | M3x7 | T8 |
| | 17-M8-2T | 2 | 17 | 46 | 28 | 8.5 | M8 | | | |
| | 20-M10-3T | 3 | 20 | 49 | 30 | 10.5 | M10 | 4NKT0603 | M3x7 | T8 |
| | 21-M10-3T | 3 | 21 | 49 | 30 | 10.5 | M10 | | | |
| | 25-M12-4T | 4 | 25 | 57 | 35 | 12.5 | M12 | 4NKT0603 | M3x7 | T8 |
| | 26-M12-4T | 4 | 26 | 57 | 35 | 12.5 | M12 | | | |
| | 32-M16-5T | 5 | 32 | 63 | 40 | 17 | M16 | 4NKT0603 | M3x7 | T8 |
| | 33-M16-5T | 5 | 33 | 63 | 40 | 17 | M16 | | | |
| | 35-M16-5T | 5 | 35 | 63 | 40 | 17 | M16 | | | |


適用刀片 SUITABLE INSERT: 特固克 TAEGUTEC, 速肯 SUKEN







INDEXABLE SCREW TYPE MODULAR CUTTER

MEW 鎖牙式立銑刀頭




| | 型號 | 刃數 Teeth | 外形尺寸(mm)Size | | | | 刀片型號 Insert | 螺絲 Screw | 扳手 Wrench |
|------------|---------------|-------------|--------------|----|----|------|----------------|-----------------|--------------|
| | Specification | | D | L | L1 | B | | | |
| MEW | 16-M8-2T | 2 | 16 | 46 | 28 | 8.5 | M8 | LOMU 1004xER | M3x8 T8 |
| | 17-M8-2T | 2 | 17 | 46 | 28 | 8.5 | M8 | | |
| | 20-M10-2T | 2 | 20 | 49 | 30 | 10.5 | M10 | | |
| | 21-M10-2T | 2 | 21 | 49 | 30 | 10.5 | M10 | | |
| | 25-M12-3T | 3 | 25 | 57 | 35 | 12.5 | M12 | LOMU 1004xER | M3x8 T8 |
| | 26-M12-3T | 3 | 26 | 57 | 35 | 12.5 | M12 | | |
| | 32-M16-2T | 3 | 32 | 63 | 40 | 17.0 | M16 | LOMU 1004xER | M3x8 T8 |
| | 35-M16-3T | 3 | 35 | 63 | 40 | 17.0 | M16 | | |

適用刀片 SUITABLE INSERT: 京瓷 KYOCERA, 速肯 SUKEN






HIGH SPEED MODULAR CUTTER FOR AL

SB90 快進給鋁用鎖牙頭



| | 型號 | 刃數 Teeth | 外形尺寸(mm)Size | | | | 刀片型號 Insert | 螺絲 Screw | 扳手 Wrench |
|-------------|---------------|-------------|--------------|----|----|------|----------------|-------------|--------------|
| | Specification | | D | L | L1 | B | | | |
| SB90 | 16-M8-2T | 2 | 16 | 46 | 28 | 8.5 | M8 | AXGT120608 | M2.5*6 T8 |
| | 17-M8-2T | 2 | 17 | 46 | 28 | 8.5 | M8 | | |
| | 20-M10-3T | 3 | 20 | 49 | 30 | 10.5 | M10 | | |
| | 21-M10-3T | 3 | 21 | 49 | 30 | 10.5 | M10 | | |
| | 25-M12-4T | 4 | 25 | 57 | 35 | 12.5 | M12 | | |
| | 26-M12-4T | 4 | 26 | 57 | 35 | 12.5 | M12 | | |
| | 32-M16-5T | 5 | 32 | 63 | 40 | 17.0 | M16 | | |
| | 35-M16-5T | 5 | 35 | 63 | 40 | 17.0 | M16 | | |

適用刀片 SUITABLE INSERT: 三菱 MITSUBISHI, 速肯 SUKEN



HIGH SPEED MODULAR CUTTER FOR AL


AXD4000R 快進給鋁用鎖牙頭

| | 型號 | 刃數 Teeth | 外形尺寸(mm)Size | | | | 刀片型號 Insert | 螺絲 Screw | 扳手 Wrench |
|-----------------|---------------|-------------|--------------|----|----|------|----------------|----------------|--------------|
| | Specification | | D | L | L1 | B | | | |
| AXD4000R | 25-M12-2T | 2 | 25 | 57 | 35 | 12.5 | M12 | XDGX1750**PDFR | M3*7 T10 |
| | 32-M16-2T | 2 | 32 | 63 | 40 | 17 | M16 | | |
| | 35-M16-3T | 3 | 35 | 63 | 40 | 17 | M16 | | |
| | 40-M16-3T | 3 | 40 | 63 | 40 | 17 | M16 | | |

適用刀片 SUITABLE INSERT: 三菱 MITSUBISHI, 速肯 SUKEN

產品特性/Feature

1. 低切削阻力, 高速加工鋁件
2. 適合各種加工形態
3. 立面精度好, 加工表面光潔度高
1. High speed machining for aluminum material with low cutting resistance
2. Wide range of application
3. Good performance with high surface finish



INDEXABLE

Screw Type Modular Cutter


隨心切換 無“鎖”不能



INDEXABLE SCREW TYPE MODULAR CUTTER

直杆系列-鎖牙式抗震鎢鋼刀杆

INDEXABLE CUTTING TOOLS



CARBIDE MODULAR CUTTER


鎢鋼鎖牙式刀頭



| 型號 Specification | 刃數 Teeth | 外形尺寸(mm)Size | | | | B(length*dia) | M |
|---------------------|-------------|--------------|------|----|----|---------------|-----|
| | | D | d | L2 | L1 | | |
| 10-H10-5T-M5 | 5 | 10 | 9.7 | 10 | 20 | 4x5.5 | M5 |
| R5-H10-4T-M5 | 4 | 10 | 9.7 | 10 | 20 | 4x5.5 | M5 |
| 10R0.5-H10-4T-M5 | 4 | 10 | 9.7 | 10 | 20 | 4x5.5 | M5 |
| 10R1-H10-4T-M5 | 4 | 10 | 9.7 | 10 | 20 | 4x5.5 | M5 |
| 12-H12-5T-M6 | 5 | 12 | 11.7 | 12 | 24 | 4x6.5 | M6 |
| R6-H12-4T-M6 | 4 | 12 | 11.7 | 12 | 24 | 4x6.5 | M6 |
| 12R0.5-H12-4T-M6 | 4 | 12 | 11.7 | 12 | 24 | 4x6.5 | M6 |
| 12R1-H12-4T-M6 | 4 | 12 | 11.7 | 12 | 24 | 4x6.5 | M6 |
| 16-H16-5T-M8 | 5 | 16 | 15.7 | 16 | 32 | 5x8.5 | M8 |
| R8-H16-4T-M8 | 4 | 16 | 15.7 | 16 | 32 | 5x8.5 | M8 |
| 16R0.5-H16-4T-M8 | 4 | 16 | 15.7 | 16 | 32 | 5x8.5 | M8 |
| 16R1-H16-4T-M8 | 4 | 16 | 15.7 | 16 | 32 | 5x8.5 | M8 |
| 20-H20-5T-M10 | 5 | 20 | 19.5 | 20 | 40 | 5.5x10.5 | M10 |
| R10-H20-4T-M10 | 4 | 20 | 19.5 | 20 | 40 | 5.5x10.5 | M10 |
| 20R0.5-H20-4T-M10 | 4 | 20 | 19.5 | 20 | 40 | 5.5x10.5 | M10 |
| 20R1-H20-4T-M10 | 4 | 20 | 19.5 | 20 | 40 | 5.5x10.5 | M10 |
| 25-H25-5T-M12 | 5 | 25 | 24.5 | 25 | 50 | 5.5x12.5 | M12 |
| R12.5-H25-4T-M12 | 4 | 25 | 24.5 | 25 | 50 | 5.5x12.5 | M12 |
| 25R0.5-H25-4T-M12 | 4 | 25 | 24.5 | 25 | 50 | 5.5x12.5 | M12 |
| 25R1-H25-4T-M12 | 4 | 25 | 24.5 | 25 | 50 | 5.5x12.5 | M12 |

產品特性/Feature


1. 可換式刀頭，經濟高效
2. 重復裝夾精度高
1. Changeable modular mill head, more economical
2. Precise repetition





HSS MODULAR EXTENSION SHANK



高速鋼抗震刀杆



| 型號 Specification | 外形尺寸(mm)Size | | | | |
|---------------------|--------------|----|------|----|-----|
| | M | D | d | L1 | L |
| 10-M5-100L-40H | M5 | 10 | 9.6 | 40 | 100 |
| 10-M5-150L-40H | M5 | 10 | 9.6 | 40 | 150 |
| 12-M6-100L-40H | M6 | 12 | 11.5 | 40 | 100 |
| 12-M6-150L-40H | M6 | 12 | 11.5 | 40 | 150 |
| 16-M8-100L-40H | M8 | 16 | 15.4 | 40 | 100 |
| 16-M8-150L-40H | M8 | 16 | 15.4 | 40 | 150 |
| 16-M8-200L-40H | M8 | 16 | 15.4 | 40 | 200 |
| 20-M10-100L-40H | M10 | 20 | 19 | 40 | 100 |
| 20-M10-150L-40H | M10 | 20 | 19 | 40 | 150 |
| 20-M10-200L-40H | M10 | 20 | 19 | 40 | 200 |
| 25-M12-100L-40H | M12 | 25 | 24.5 | 40 | 100 |
| 25-M12-150L-40H | M12 | 25 | 24.5 | 40 | 150 |
| 25-M12-200L-40H | M12 | 25 | 24.5 | 40 | 200 |

產品特性/Feature

1. 提高抗震強度，加工尺寸精密，工件表面光潔度高。
 2. 適合懸伸工件加工。
 3. 刀片切削均勻提高刀片壽命，減少加工過程中因為周跳導致的振紋。
 4. 搭配可換式螺紋頭，重複裝夾精度高，適合開粗和精銑。
 5. 刀杆可以對應不同型號刀頭，與刀柄多種組合，即使刀具部分損壞也可立即更換，更經濟。
1. Anti-shock ability to improve the dimension precision and finish surface of work piece.
2. Suitable for large overhanging machining
3. Equal cutting force promise the improved insert life and less processing chatter marks
4. Changeable screw cutter bar, precision repetition , suitable for rough and finish machining.
5. Various screw cutter type can be applied for the shank, different combinations with the tool holder are available . Part of tools can be replaced easily, more economical.



TUNGSTEN STEEL EXTENSION SHANK


直杆系列-鎖牙式抗震鎢鋼刀杆

| 型號 Specification | 外形尺寸(mm)Size | | | |
|---------------------|--------------|----|----|-----|
| | M | D | d | L |
| 8-M4-100 | M4 | 8 | 8 | 100 |
| 10-M5-100 | M5 | 10 | 10 | 100 |
| 10-M5-150 | M5 | 10 | 10 | 150 |
| 12-M6-100 | M6 | 12 | 12 | 100 |
| 12-M6-150 | M6 | 12 | 12 | 150 |
| 12-M6-200 | M6 | 12 | 12 | 200 |
| 15-M8-100 | M8 | 15 | 15 | 100 |
| 15-M8-150 | M8 | 15 | 15 | 150 |
| 15-M8-200 | M8 | 15 | 15 | 200 |
| 16-M8-100 | M8 | 16 | 16 | 100 |
| 16-M8-150 | M8 | 16 | 16 | 150 |
| 16-M8-200 | M8 | 16 | 16 | 200 |
| 16-M8-250 | M8 | 16 | 16 | 250 |
| 16-M8-300 | M8 | 16 | 16 | 300 |
| 19-M10-150 | M10 | 19 | 19 | 150 |
| 19-M10-200 | M10 | 19 | 19 | 200 |
| 19-M10-250 | M10 | 19 | 19 | 250 |
| 20-M10-100 | M10 | 20 | 20 | 100 |
| 20-M10-150 | M10 | 20 | 20 | 150 |
| 20-M10-200 | M10 | 20 | 20 | 200 |
| 20-M10-250 | M10 | 20 | 20 | 250 |
| 20-M10-300 | M10 | 20 | 20 | 300 |
| 24-M12-150 | M12 | 24 | 24 | 150 |
| 24-M12-200 | M12 | 24 | 24 | 200 |
| 24-M12-250 | M12 | 24 | 24 | 250 |
| 24-M12-300 | M12 | 24 | 24 | 300 |
| 25-M12-150 | M12 | 25 | 25 | 150 |
| 25-M12-200 | M12 | 25 | 25 | 200 |
| 25-M12-250 | M12 | 25 | 25 | 250 |
| 25-M12-300 | M12 | 25 | 25 | 300 |
| 32-M16-150 | M16 | 32 | 32 | 150 |
| 32-M16-200 | M16 | 32 | 32 | 200 |
| 32-M16-250 | M16 | 32 | 32 | 250 |
| 32-M16-300 | M16 | 32 | 32 | 300 |
| 32-M16-350 | M16 | 32 | 32 | 350 |
| 32-M16-400 | M16 | 32 | 32 | 400 |

特殊尺寸可接受定制



產品特性/Feature

1. 提高抗震強度，加工尺寸精密，工件表面光潔度高。
 2. 適合懸伸工件加工。
 3. 刀片切削均勻提高刀片壽命，減少加工過程中因為周跳導致的振紋。
 4. 搭配可換式螺紋頭，重複裝夾精度高，適合開粗和精銑。
 5. 刀杆可以對應不同型號刀頭，與刀柄多種組合，即使刀具部分損壞也可立即更換，更經濟。
1. Anti-shock ability to improve the dimension precision and finish surface of work piece.
2. Suitable for large overhanging machining
3. Equal cutting force promise the improved insert life and less processing chatter marks
4. Changeable screw cutter bar, precision repetition , suitable for rough and finish machining.
5. Various screw cutter type can be applied for the shank, different combinations with the tool holder are available . Part of tools can be replaced easily, more economical.




INDEXABLE CUTTING TOOLS





INDEXABLE SCREW TYPE MODULAR CUTTER

可轉位鎖牙式立銑刀柄




| 型號 Specification | 外形尺寸(mm)Size | | | | | 單邊斜度 Angle |
|---------------------|--------------|------|------|-----|-----|---------------|
| | M | D | DC | L | L1 | |
| BT30-M6-50L | M6 | 11.5 | 13.4 | 50 | 30 | 3° |
| BT30-M6-100L | M6 | 12 | 14 | 100 | 80 | 3° |
| BT30-M8-50L | M8 | 15 | 17.5 | 50 | 30 | 3° |
| BT30-M8-100L | M8 | 15 | 22.5 | 100 | 80 | 3° |
| BT30-M10-50L | M10 | 19 | 44.5 | 50 | 30 | 3° |
| BT30-M10-100L | M10 | 19 | 25.5 | 100 | 80 | 3° |
| BT30-M12-50L | M12 | 23 | 26 | 50 | 30 | 3° |
| BT30-M12-100L | M12 | 23 | 30 | 100 | 80 | 3° |
| BT30-M16-50L | M16 | 30 | 32.5 | 50 | 30 | 3° |
| BT30-M16-100L | M16 | 31 | 32 | 100 | 80 | 3° |
| BT40-M8-70 | M8 | 15.5 | 16 | 70 | 45 | 3° |
| BT40-M8-100 | M8 | 15 | 37.5 | 100 | 75 | 3° |
| BT40-M8-150 | M8 | 15 | 21.5 | 150 | 125 | 3° |
| BT40-M8-200 | M8 | 14.5 | 25.5 | 200 | 175 | 3° |
| BT40-M10-70 | M10 | 19 | 23.5 | 70 | 45 | 3° |
| BT40-M10-100 | M10 | 19 | 26.5 | 100 | 75 | 3° |
| BT40-M10-150 | M10 | 19 | 32 | 150 | 125 | 3° |
| BT40-M10-200 | M10 | 19.5 | 37.5 | 200 | 175 | 3° |
| BT40-M12-70 | M12 | 24 | 28 | 70 | 45 | 3° |
| BT40-M12-100 | M12 | 24 | 31 | 100 | 75 | 3° |
| BT40-M12-150 | M12 | 24 | 36 | 150 | 125 | 3° |
| BT40-M12-200 | M12 | 24 | 42 | 200 | 175 | 3° |
| BT40-M16-70 | M16 | 30 | 34 | 70 | 45 | 3° |
| BT40-M16-100 | M16 | 30 | 37.5 | 100 | 75 | 3° |
| BT40-M16-150 | M16 | 30 | 43 | 150 | 125 | 3° |
| BT40-M16-200 | M16 | 30 | 48.5 | 200 | 175 | 3° |

產品特性/Feature

1. 模塊化組合，刀頭與刀柄螺紋連接，沉頭結合
 2. 刀柄直接連接刀頭，無需筒夾，降低多次裝夾精度公差
 3. 刀片切削均勻提高刀片壽命，減少加工過程中因為周跳導致的振紋
 4. 可換式刀頭，重複裝夾精度高，適合開粗和精銑
 5. 刀頭可以對應不同型號刀片，與刀柄多種組合，即使刀具部分損壞也可立即更換，更經濟
1. Modular type screw cutter connected with tool holder, countersink surface.
 2. Direct connection without collet, repetition tolerance is reduced.
 3. Equal cutting force promise the improved insert life and less processing chatter marks
 4. Changeable screw cutter bar, precision repetition, suitable for rough and finish machining.
 5. Various insert type can be applied for the the screw cutter, different combinations with the tool holder are available. Part of tools can be replaced easily, more economical

INDEXABLE SCREW TYPE MODULAR CUTTER

可轉位鎖牙式立銑刀柄



| 型號 Specification | 外形尺寸(mm)Size | | | | | 單邊斜度 Angle |
|---------------------|--------------|----|------|-----|-----|---------------|
| | M | D | DC | L | L1 | |
| BT50-M8-100 | M8 | 15 | 20.9 | 100 | 75 | 3° |
| BT50-M8-150 | M8 | 15 | 26.1 | 150 | 115 | 3° |
| BT50-M8-200 | M8 | 15 | 31.3 | 200 | 165 | 3° |
| BT50-M8-250 | M8 | 15 | 36.5 | 250 | 215 | 3° |
| BT50-M8-300 | M8 | 15 | 41.7 | 300 | 265 | 3° |
| BT50-M10-100 | M10 | 19 | 24.8 | 100 | 75 | 3° |
| BT50-M10-150 | M10 | 19 | 30 | 150 | 115 | 3° |
| BT50-M10-200 | M10 | 19 | 35.2 | 200 | 165 | 3° |
| BT50-M10-250 | M10 | 19 | 40.5 | 250 | 215 | 3° |
| BT50-M10-300 | M10 | 19 | 45.7 | 300 | 265 | 3° |
| BT50-M12-100 | M12 | 23 | 28 | 100 | 75 | 3° |
| BT50-M12-150 | M12 | 23 | 34.1 | 150 | 115 | 3° |
| BT50-M12-200 | M12 | 23 | 39.4 | 200 | 165 | 3° |
| BT50-M12-250 | M12 | 23 | 44.6 | 250 | 215 | 3° |
| BT50-M12-300 | M12 | 23 | 49.8 | 300 | 265 | 3° |
| BT50-M16-100 | M16 | 29 | 34.7 | 100 | 75 | 3° |
| BT50-M16-150 | M16 | 29 | 39.9 | 150 | 115 | 3° |
| BT50-M16-200 | M16 | 29 | 45.2 | 200 | 165 | 3° |
| BT50-M16-250 | M16 | 29 | 50.4 | 250 | 215 | 3° |
| BT50-M16-300 | M16 | 29 | 55.6 | 300 | 265 | 3° |

特點/Feature

1. 模塊化組合，刀頭與刀柄螺紋連接，沉頭結合
 2. 刀柄直接連接刀頭，無需筒夾，降低多次裝夾精度公差
 3. 刀片切削均勻提高刀片壽命，減少加工過程中因為周跳導致的振紋
 4. 可換式刀頭，重複裝夾精度高，適合開粗和精銑
 5. 刀頭可以對應不同型號刀片，與刀柄多種組合，即使刀具部分損壞也可立即更換，更經濟
1. Modular type screw cutter connected with tool holder, countersink surface.
 2. Direct connection without collet, repetition tolerance is reduced.
 3. Equal cutting force promise the improved insert life and less processing chatter marks
 4. Changeable screw cutter bar, precision repetition, suitable for rough and finish machining.
 5. Various insert type can be applied for the the screw cutter, different combinations with the tool holder are available. Part of tools can be replaced easily, more economical

PRECISION

from meticulousity

精密 源自一絲不苟



Professional



Concentrated



Precision



SUKEN

•• 随着中国倡导的“一带一路”战略的落实与发展，速肯立足中国，走向世界，坚持自我研发和制造的路线，建立健全的各项制度，提高全员执行力，加大力度储备人才，强化速肯核心团队，全面推进企业向前发展。